





## Features


- Intel Atom Processor D2550 1.86GHz
- Support 2 x SO-DIMM 204pin, up to 4GB DDRIII 800/1066MHz FSB
- Fan less Solution
- 1 x 2.5" SATA HDD space
- 1 x External CF slot
- Support 9~36V DC

## Specifications

System	
Processor	Intel Atom Processor D2550 1.86GHz , L2 Cache 1MB
System Chipset	Intel NM10 Express
External I/O Port	Rear I/O Side 2 x RS-232 (COM1/2) 1 x DB15 VGA 4 x USB 2.0 Ports 2 x Ethernet RJ45 LAN Port 1 x 9~36V DC Power input 1 x Audio Ports (Mic, Line out) 1 x 2 Pin Power Switch 2 x LED Indication (Power/HDD) 1 x earth ground hole with screw
	Front I/O Side 1 x RS-232 (COM4) 1 x RS-422/485 default: RS-485 (COM3) 2 x USB 2.0 Ports 1 x Power on/off button
System Memory	Support 2 x SO-DIMM 204pin, up to 4GB DDRIII 800/1066MHz FSB
Storage	1 x 2.5" SATA HDD space 1 x External CF slot
POWER Consumption	18W@12V
Power Input	DC 9~36V
Expansion Slots	2 x PCI slot, 1 x PCI + 1 x PCIe for option
OS Support	Windows Embedded Standard 7, Win7, XP, Win CE6.0

Mechanical	
Construction	Aluminum Heat sink silver color
Color	Silver
Mounting	Wall mount
Dimension	268 x 195 x 122.7 / 268 x 240 x 125.7(wall mount)
Net weight(kgs)	4.8

## Dimensions



Environmental	
Operating Temperature	Standard: 0°C to 50°C WT1: -20°C to 60°C for option WT2: -20°C to 70°C for option
Storage Temperature	-20°C to 60°C -40°C to 70°C for WT1 and WT2 option.
Storage Humidity	10~90% @40 °C non-condensing
Certificate	CE/FCC Class A